

## Specialty Films for Your Toughest Projects

**Window**

**Wall**




**Floor**



Product Name	Product Description	Durability **	Sizes	Perf Patterns	Adhesive Type	Removability	Ink Compatibility
 <b>panoRama Cast 1530C, 1540C</b>	4.7 Mil CAST Vinyl White/ Black OWV Film with Clear Removable Adhesive	Up to 7 Years Outdoor	54"x164' 60"x164'	70/30 60/40	Solvent Removable	6-Months No Residue	Solvent Latex UV
<b>panoRama Clear8020, 7030</b>	6.0 Mil Vinyl Clear/Clear OWV Film with Clear Removable Adhesive Inside Mount	Up to 2 Years Indoor	54"x100'	80/20 70/30	Solvent Removable	6-Months No Residue	Solvent Latex UV
<b>panoRama Film8020* &amp; panoRama Tape</b>	6.0 Mil PET White/Black OWV Film Inside Mount. No Adhesive 	Up to 3 Years Indoor	54"x100' 60"x100'	80/20 70/30	N/A	N/A	Solvent Latex UV
<b>panoRama Green*</b> 	5.0 Mil PET White/Black OWV Film with Clear Removable Adhesive	Up to 5 Years Outdoor	54"x100'	60/40	Solvent Removable	6-Months No Residue	Solvent Latex UV
<b>panoRama Innova Ice</b>	6.0 Mil Vinyl White/Black OWV Film with Clear Removable Adhesive Cold Weather Mount	Up to 2 Years Outdoor	54"x100'	60/40 70/30	Solvent Removable	6-Months No Residue	Solvent Latex
<b>panoRama Innova 20, 30, 40, 50</b>	6.0 Mil Vinyl White/Black OWV Film with Clear Removable Adhesive	Up to 3 Years Outdoor	54"x100' 60"x100'	80/20 70/30 60/40 50/50	Solvent Removable	6-Months No Residue	Solvent Latex UV
<b>panoRama Lightbox</b>	5.5 Mil CAST PVC Perforated Black/ White Film with Clear Adhesive For Light Management & Diffusion Applications	Up to 7 Years Outdoor	54"x164'	80/20	Solvent Acrylic	6-Months No Residue	Not Intended for Print
<b>panoRama One8020, 7030, 6040, 5050</b>	6.0 Mil Vinyl White/Black OWV Film with Clear Removable Adhesive	Up to 2 Years Outdoor	54"x164' 60"x164'	80/20 70/30 60/40 50/50	Solvent Removable	6-Months No Residue	Solvent Latex UV
<b>panoRama Silver*</b> 	6.0 Mil PET Silver Metallized Face/ Black OWV Film with Clear Removable Adhesive	Up to 5 Years Outdoor	54"x100'	80/20	Solvent Removable	6-Months No Residue	Solvent Latex UV
<b>Edge Protection Tape</b>	Optically Clear Cast PVC with a Gloss Finish	Up to 10 Years Outdoor	0.5"x82'	N/A	Solvent Permanent		Not Intended for Print

Perforated Window Films

Product Name	Product Description	Durability **	Sizes	Perf Patterns	Adhesive Type	Removability	Ink Compatibility
<b>iTac Clear/ Plus*</b> 	4.3 Mil Optically Clear Printable PET Film with a Clear Removable, Repositionable Siliconized Adhesive	Up to 2 Years Outdoor	54"x100' 60"x100' (PLUS 54" Only)	N/A	Hybrid Removable	2-Years No Residue	Solvent (PLUS only) Latex UV
<b>iTacGreen*</b> 	3.0 Mil BOPP Film with Removable, Repositionable, Rinsible, Reusable Hybrid Adhesive	Up to 3 Years Outdoor	54"x100'	N/A	Hybrid Removable	6-Months No Residue	Latex UV
<b>iTac White*</b> 	4.5 Mil White Printable PET Film with a Clear Removable, Repositionable Siliconized Adhesive (Opacity - 99.2)	Up to 2 Years Outdoor	54"x100'	N/A	Hybrid Removable	2-Years No Residue	Solvent Latex UV
<b>panoRama Cast Laminate</b>	2.0 Mil Cast Gloss Optically Clear or Matte Overlaminate Film with Pressure Sensitive Adhesive	Up to 10 Years Outdoor	54"x164'	N/A	Solvent Permanent	N/A	N/A
<b>panoRama Green Laminate*</b> 	1.0 Mil Optically Clear Gloss PET Overlaminate Film with Pressure Sensitive Adhesive	Up to 1 Year Outdoor	54"x100'	N/A	Solvent Permanent	N/A	N/A
<b>panoRama Protect</b>	3.0 Mil Calendared Overlaminate/ Clear Printable Film with Pressure Sensitive Adhesive	Up to 3 Years Outdoor	54"x100' 60"x100'	N/A	Solvent Permanent	N/A	Solvent Latex UV
<b>panoRama TwoWay Vision</b>	4.8 Mil Clear Vinyl Film Embedded with a Light Refractive White Prism for Day-to-Night Window Graphics	Up to 2 Years Outdoor	54"x100'	N/A	Solvent Removable	6-Months No Residue	Solvent Latex UV
<b>X-Treme</b>	4.0 Mil Smooth Calendared Vinyl with a Specialized Adhesive designed for Extreme Temperature Applications	Up to 5 Years Outdoor	54"x100'	N/A	Solvent Removable	6-Months No Residue	Solvent Latex UV
<b>CourtWrap*</b> 	3.0 Mil Cast Polypropylene Film with Removable, Repositionable, Rinsible, Reusable Hybrid Adhesive	Up to 3 Years Indoor	54" x 100'	Hybrid, Removable	N/A	Latex UV	
<b>CWProtect</b>	5.0 Mil Premium Textured Pressure Sensitive Laminate Certified For Slip Resistance For Use w/ CourtWrap	Up to 1 Year Indoor	54"x150'	Solvent, Permanent	N/A	N/A	

Product Name	Product Description	Durability	Sizes	Adhesive	Removability	Ink
<b>FatFloor</b>	55 Mil Clear Non-Slip Textured PVC Film with Smooth Printable Back. Reverse Print, Flood with White Ink or Apply White DoubleStick in	Up to 3 Years Outdoor	54"x50'	N/A	N/A	Solvent Latex UV
<b>FoilScape*</b> 	3.0 Mil Urethane-Coated Smooth Printable Conformable Aluminum Backed with a Pressure-Sensitive Removable Adhesive	Up to 2 Years Outdoor	48"x100'	Permanent	N/A	Solvent Latex UV
<b>FoilWalk*</b> 	8.6 Mil 1-Step Urethane-Coated Textured Printable Conformable Aluminum Coated with a Pressure-Sensitive Removable	Up to 6 Months Outdoor	48"x100'	Permanent	N/A	Latex UV
<b>NatureWalk*</b> 	7.0 Mil 1-Step Printable Coated Woven PET Textile Backed with Grey Removable Repositionable Adhesive For Floors and Walls	Up to 6 Months Indoor	54"x100' 54"x164'	Solvent Removable	6-Months No Residue	Solvent Latex UV
<b>ProtectWalk</b>	7.0 Mil Textured Printable Laminate Certified For Slip Resistance Backed with Pressure Sensitive Adhesive	N/A	54"x150' 54"x50'	Solvent Permanent	N/A	Solvent Latex UV
<b>UltraProtection Laminate</b>	24 Mil Textured Laminate Certified For Slip Resistance Backed with Pressure Sensitive	Up to 3 Years Outdoor	54"x50'	Solvent Permanent	N/A	N/A
<b>Walk&amp;Wall®</b>	12 Mil 1-Step Printable Anti-Slip Textured Film With a Unique Self-Installable Adhesive For Floors and Walls	Up to 3 Months Outdoor	48"x82' 48"x164'	Solvent Removable	6-Months No Residue	Solvent Latex UV
<b>White DoubleStick</b>	Double-Sided White Removable Mounting Adhesive. Use with FatFloor	Up to 3 Years Outdoor	54"x100'	Solvent Removable	6-Months No Residue	N/A
<b>X-Treme</b>	4.0 Mil Smooth Calendered Vinyl Backed with a Specialized Adhesive Designed for Extreme Temperature Applications	Up to 5 Years Outdoor	54"x100'	Solvent Removable	6-Months No Residue	Solvent Latex UV

Floor and Specialty Films



Continental Grafix USA  
1855 Weinig Street  
Statesville, NC 28677

P: (704) 872-2216  
E: info@cgxusa.com  
**CGXUSA.com**

\*PVC-Free sustainable solution

\*\* Outdoor Durability ratings are based on typical North American Midwestern conditions.

Custom Roll Sizes Available

© 2025 Continental Grafix  
202501 Document may change without notice.