

## Specialty Films for Your Toughest Projects

**Window**





**Wall**

**Floor**



	Product Name	Product Description	Durability **	Sizes	Perf Patterns	Adhesive Type	Removability	Ink Compatibility
Perforated Window Films	 panoRama Cast 1530C, 1540C	4.7 Mil CAST Vinyl White/ Black OWV Film with Clear Removable Adhesive	Up to 7 Years Outdoor	54"x164' 60"x164'	70/30 60/40	Solvent Removable	6-Months No Residue	Solvent Latex UV
	panoRama Clear8020, 7030	6.0 Mil Vinyl Clear/Clear OWV Film with Clear Removable Adhesive Inside Mount	Up to 2 Years Indoor	54"x100'	80/20 70/30	Solvent Removable	6-Months No Residue	Solvent Latex UV
	panoRama Film8020* & panoRama Tape	6.0 Mil PET White/Black OWV Film Inside Mount. No Adhesive 	Up to 3 Years Indoor	54"x100' 60"x100'	80/20 70/30	N/A	N/A	Solvent Latex UV
	panoRama Green* 	5.0 Mil PET White/Black OWV Film with Clear Removable Adhesive	Up to 5 Years Outdoor	54"x100'	60/40	Solvent Removable	6-Months No Residue	Solvent Latex UV
	panoRama Innova Ice	6.0 Mil Vinyl White/Black OWV Film with Clear Removable Adhesive Cold Weather Mount	Up to 2 Years Outdoor	54"x100'	70/30 60/40	Solvent Removable	6-Months No Residue	Solvent Latex
	panoRama Innova 20, 30, 40, 50	6.0 Mil Vinyl White/Black OWV Film with Clear Removable Adhesive	Up to 3 Years Outdoor	54"x100' 60"x100'	80/20 70/30 60/40 50/50	Solvent Removable	6-Months No Residue	Solvent Latex UV
	panoRama Lightbox	5.5 Mil CAST PVC Perforated Black/White Film with Clear Adhesive For Light Management & Diffusion Applications	Up to 7 Years Outdoor	54"x164'	80/20	Solvent Acrylic	6-Months No Residue	Not Intended for Print
	panoRama One8020, 7030, 6040, 5050	6.0 Mil Vinyl White/Black OWV Film with Clear Removable Adhesive	Up to 2 Years Outdoor	54"x164' 60"x164'	80/20 70/30 60/40 50/50	Solvent Removable	6-Months No Residue	Solvent Latex UV
	panoRama Silver* 	6.0 Mil PET Silver Metallized Face/Black OWV Film with Clear	Up to 5 Years Outdoor	54"x100'	80/20	Solvent Removable	6-Months No Residue	Solvent Latex
	Edge Protection Tape	Optically Clear Cast PVC with a Gloss Finish	Up to 10 Years Outdoor	0.5"x82'	N/A	Solvent Permanent		Not Intended for Print

Unperforated Window Films & Overlaminates

Product Name	Product Description	Durability **	Sizes	Perf Patterns	Adhesive Type	Removability	Ink Compatibility
iTac Clear/ Plus* 	4.3 Mil Optically Clear Printable PET Film with a Clear Removable, Repositionable Siliconized Adhesive	Up to 2 Years Outdoor	54"x100' 60"x100' (PLUS 54" Only)	N/A	Hybrid Removable	2-Years No Residue	Solvent (PLUS Only) Latex UV
iTacGreen* 	3.0 Mil BOPP Film with Removable, Repositionable, Rinsible, Reusable Hybrid Adhesive	Up to 3 Years Outdoor	54"x100'	N/A	Hybrid Removable	6-Months No Residue	Latex UV
iTac White* 	4.5 Mil White Printable PET Film with a Clear Removable, Repositionable Siliconized Adhesive (Opacity - 99.2)	Up to 2 Years Outdoor	54"x100'	N/A	Hybrid Removable	2-Years No Residue	Solvent Latex UV
panoRama Cast Laminate	2.0 Mil Cast Gloss Optically Clear or Matte Overlaminates Film with Pressure Sensitive Adhesive	Up to 10 Years Outdoor	54"x164'	N/A	Solvent Permanent	N/A	N/A
panoRama Green Laminate* 	1.0 Mil Optically Clear Gloss PET Overlaminates Film with Pressure Sensitive Adhesive	Up to 1 Year Outdoor	54"x100'	N/A	Solvent Permanent	N/A	N/A
panoRama Protect	3.0 Mil Calendared Overlaminates/Clear Printable Film with Pressure Sensitive Adhesive	Up to 3 Years Outdoor	54"x100' 60"x100'	N/A	Solvent Permanent	N/A	Solvent Latex UV
panoRama TwoWay Vision	4.8 Mil Clear Vinyl Film Embedded with a Light Refractive White Prism for Day-to-Night Window Graphics	Up to 2 Years Outdoor	54"x100'	N/A	Solvent Removable	6-Months No Residue	Solvent Latex UV
X-Treme	4.0 Mil Smooth Calendared Vinyl with a Specialized Adhesive designed for Extreme Temperature Applications	Up to 5 Years Outdoor	54"x100'	N/A	Solvent Removable	6-Months No Residue	Solvent Latex UV
CWProtect	5.0 Mil Premium Textured Pressure Sensitive Laminate Certified For Slip Resistance, For Use w/ CourtWrap	Up to 1 Year Indoor	54"x150'	N/A	Solvent, Permanent	N/A	N/A

Floor and Specialty Films	Product Name	Product Description	Durability **	Sizes	Adhesive Type	Removability	Ink Compatibility
	<b>CourtWrap*</b> 	3.0 Mil Cast Polypropylene Film with Removable, Repositionable, Rinsible, Reusable Hybrid Adhesive	Up to 3 Years Indoor	54"x100'	Hybrid, Removable	N/A	Latex UV
	<b>FatFloor</b>	55 Mil Clear Non-Slip Textured PVC Film with Smooth Printable Back. Reverse Print, Flood with White Ink or Apply White DoubleStick in Place of White Ink	Up to 3 Years Outdoor	54"x50'	N/A	N/A	Solvent Latex UV
	<b>FoilScape*</b> 	3.0 Mil Urethane-Coated Smooth Printable Conformable Aluminum Backed with a Pressure-Sensitive Removable Adhesive	Up to 2 Years Outdoor	48"x100'	Permanent	N/A	Solvent Latex UV
	<b>FoilWalk*</b> 	8.6 Mil 1-Step Urethane-Coated Textured Printable Conformable Aluminum Coated with a Pressure-Sensitive Removable Adhesive	Up to 6 Months Outdoor	48"x100'	Permanent	N/A	Latex UV
	<b>NatureWalk*</b>	7.0 Mil 1-Step Printable Coated Woven PET Textile Backed with Grey Removable Repositionable Adhesive For Floors and Walls	Up to 6 Months Indoor	54"x100' 54"x164'	Solvent Removable	6-Months No Residue	Solvent Latex UV
	<b>ProtectWalk</b>	7.0 Mil Textured Printable Laminate Certified For Slip Resistance Backed with Pressure Sensitive Adhesive	N/A	54"x150' 54"x50'	Solvent Permanent	N/A	Solvent Latex UV
	<b>UltraProtection Laminate</b>	24 Mil Textured Laminate Certified For Slip Resistance Backed with Pressure Sensitive Adhesive	Up to 3 Years Outdoor	54"x50'	Solvent Permanent	N/A	N/A
	<b>Walk&amp;Wall®</b>	12 Mil 1-Step Printable Anti-Slip Textured Film With a Unique Self-Installable Adhesive For Floors and Walls	Up to 3 Months Outdoor	48"x82' 48"x164'	Solvent Removable	6-Months No Residue	Solvent Latex UV
	<b>White DoubleStick</b>	Double-Sided White Removable Mounting Adhesive. Use with FatFloor	Up to 3 Years Outdoor	54"x100'	Solvent Removable	6-Months No Residue	N/A
<b>X-Treme</b>	4.0 Mil Smooth Calendared Vinyl Backed with a Specialized Adhesive Designed for Extreme Temperature Applications	Up to 5 Years Outdoor	54"x100'	Solvent Removable	6-Months No Residue	Solvent Latex UV	